

## VIII. References

1. Chen, P., & Hreha, K. (2018). *KF-PAT 2018 Manual*. East Hanover, NJ: Kessler Foundation.
2. Corbetta, M., & Shulman, G. L. (2011). Spatial neglect and attention networks. *Annual Review of Neuroscience*, *34*, 569-599. doi:10.1146/annurev-neuro-061010-113731
3. Umarova, R. M., Beume, L., Reisert, M., Kaller, C. P., Kloppel, S., Mader, I., . . . Weiller, C. (2017). Distinct white matter alterations following severe stroke: Longitudinal DTI study in neglect. *Neurology*, *88*(16), 1546-1555. doi:10.1212/wnl.0000000000003843
4. Baldassarre, A., Ramsey, L., Hacker, C. L., Callejas, A., Astafiev, S. V., Metcalf, N. V., . . . Corbetta, M. (2014). Large-scale changes in network interactions as a physiological signature of spatial neglect. *Brain*, *137*(Pt 12), 3267-3283. doi:10.1093/brain/awu297
5. Mesulam, M. M. (1999). Spatial attention and neglect: Parietal, frontal and cingulate contributions to the mental representation and attentional targeting of salient extrapersonal events. *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences*, *354*(1387), 1325-1346. doi:10.1098/rstb.1999.0482
6. Barrett, A. M., Boukrina, O., & Saleh, S. (2019). Ventral attention and motor network connectivity is relevant to functional impairment in spatial neglect after right brain stroke. *Brain and Cognition*, *129*, 16-24. doi:10.1016/j.bandc.2018.11.013
7. Heilman, K. M., Watson, R. T., & Valenstein, E. (2012). Neglect and related disorders. In K. M. Heilman & E. Valenstein (Eds.), *Clinical Neuropsychology* (5th ed., pp. 296-348). New York: Oxford University.
8. Adair, J. C., & Barrett, A. M. (2008). Spatial neglect: Clinical and neuroscience review: A wealth of information on the poverty of spatial attention. *Annals of the New York Academy of Sciences*, *1142*, 21-43. doi:10.1196/annals.1444.008
9. Harvey, M., & Rossit, S. (2012). Visuospatial neglect in action. *Neuropsychologia*, *50*(6), 1018-1028. doi:10.1016/j.neuropsychologia.2011.09.030
10. Ogourtsova, T., Archambault, P., & Lamontagne, A. (2015). Impact of post-stroke unilateral spatial neglect on goal-directed arm movements: Systematic literature review. *Topics in Stroke Rehabilitation*, *22*(6), 397-428. doi:10.1179/1074935714z.0000000046
11. Tanaka, H., Hachisuka, K., & Ogata, H. (1999). Sound lateralisation in patients with left or right cerebral hemispheric lesions: Relation with unilateral visuospatial neglect. *Journal of Neurology Neurosurgery and Psychiatry*, *67*(4), 481-486. doi:10.1136/jnnp.67.4.481
12. Ringman, J. M., Saver, J. L., Woolson, R. F., Clarke, W. R., & Adams, H. P. (2004). Frequency, risk factors, anatomy, and course of unilateral neglect in an acute stroke cohort. *Neurology*, *63*(3), 468-474. doi:10.1212/01.wnl.0000133011.10689.ce
13. Kalra, L., Perez, I., Gupta, S., & Wittink, M. (1997). The influence of visual neglect on stroke rehabilitation. *Stroke*, *28*(7), 1386-1391. doi:10.1161/01.str.28.7.1386
14. McGlone, J., Losier, B. J., & Black, S. E. (1997). Are there sex differences in hemispatial visual neglect after unilateral stroke? *Neuropsychiatry, Neuropsychology, and Behavioral Neurology*, *10*(2), 125-134.
15. Stone, S. P., Halligan, P. W., & Greenwood, R. J. (1993). The incidence of neglect phenomena and related disorders in patients with an acute right or left hemisphere stroke. *Age and Ageing*, *22*(1), 46-52. doi:10.1093/ageing/22.1.46
16. Denes, G., Semenza, C., Stoppa, E., & Lis, A. (1982). Unilateral spatial neglect and recovery from hemiplegia: A follow-up study. *Brain*, *105* (Pt 3), 543-552. doi:10.1093/brain/105.3.543
17. Chen, P., Chen, C. C., Hreha, K., Goedert, K. M., & Barrett, A. M. (2015). Kessler Foundation Neglect Assessment Process uniquely measures spatial neglect during activities of daily living. *Archives of Physical Medicine and Rehabilitation*, *96*(5), 869-876. doi:10.1016/j.apmr.2014.10.023
18. Fullerton, K. J., McSherry, D., & Stout, R. W. (1986). Albert's test: A neglected test of perceptual neglect. *Lancet*, *1*(8478), 430-432. doi:10.1016/s0140-6736(86)92381-0

19. Chen, P., Ward, I., Khan, U., Liu, Y., & Hreha, K. (2016). Spatial neglect hinders success of inpatient rehabilitation in individuals with traumatic brain injury: A retrospective study. *Neurorehabilitation and Neural Repair*, *30*(5), 451-460. doi:10.1177/1545968315604397
20. Alvarez, T. L., Kim, E. H., Vicci, V. R., Dhar, S. K., Biswal, B. B., & Barrett, A. M. (2012). Concurrent vision dysfunctions in convergence insufficiency with traumatic brain injury. *Optometry and Vision Science*, *89*(12), 1740-1751. doi:10.1097/OPX.0b013e3182772dce
21. Pavlovskaya, M., Groswasser, Z., Keren, O., Mordvinov, E., & Hochstein, S. (2007). Hemispheric visual attentional imbalance in patients with traumatic brain injury. *Brain and Cognition*, *64*(1), 21-29. doi:10.1016/j.bandc.2006.10.003
22. Chen, P., Hreha, K., Fortis, P., Goedert, K. M., & Barrett, A. M. (2012). Functional assessment of spatial neglect: A review of the Catherine Bergego Scale and an introduction of the Kessler Foundation Neglect Assessment Process. *Topics in Stroke Rehabilitation*, *19*(5), 423-435. doi:10.1310/tsr1905-423
23. van Nes, I. J. W., van Kessel, M. E., Schils, F., Fasotti, L., Geurts, A. C. H., & Kwakkel, G. (2009). Is visuospatial hemineglect longitudinally associated with postural imbalance in the postacute phase of stroke? *Neurorehabilitation and Neural Repair*, *23*(8), 819-824. doi:10.1177/1545968309336148
24. Nijboer, T. C., Ten Brink, A. F., van der Stoep, N., & Visser-Meily, J. M. (2014). Neglecting posture: Differences in balance impairments between peripersonal and extrapersonal neglect. *Neuroreport*, *25*(17), 1381-1385. doi:10.1097/wnr.0000000000000277
25. Galletta, E. E., Campanelli, L., Maul, K. K., & Barrett, A. M. (2014). Assessment of neglect dyslexia with functional reading materials. *Topics in Stroke Rehabilitation*, *21*(1), 75-86. doi:10.1310/tsr2101-75
26. Vallar, G., Burani, C., & Arduino, L. S. (2010). Neglect dyslexia: A review of the neuropsychological literature. *Experimental Brain Research*, *206*(2), 219-235. doi:10.1007/s00221-010-2386-0
27. Boukrina, O., Chen, P., Budinoska, T., & Barrett, A. M. (2020). Exploratory examination of lexical and neuroanatomic correlates of neglect dyslexia. *Neuropsychology*, *34*(4), 404-419. doi:10.1037/neu0000619
28. Tromp, E., Dinkla, A., & Mulder, T. (1995). Walking through doorways: An analysis of navigation skills in patients with neglect. *Neuropsychological Rehabilitation*, *5*(4), 319-331. doi:10.1080/09602019508401475
29. Berti, A., Smania, N., Rabuffetti, M., Ferrarin, M., Spinazzola, L., D'Amico, A., . . . Allport, A. (2002). Coding of far and near space during walking in neglect patients. *Neuropsychology*, *16*(3), 390-399. doi:10.1037//0894-4105.16.3.390
30. Aravind, G., & Lamontagne, A. (2014). Perceptual and locomotor factors affect obstacle avoidance in persons with visuospatial neglect. *Journal of Neuroengineering and Rehabilitation*, *11*, 38. doi:10.1186/1743-0003-11-38
31. Chen, P., Hreha, K., Kong, Y., & Barrett, A. M. (2015). Impact of spatial neglect in stroke rehabilitation: Evidence from the setting of an inpatient rehabilitation facility. *Archives of Physical Medicine and Rehabilitation*, *96*(8), 1458-1466. doi:10.1016/j.apmr.2015.03.019
32. Wee, J. Y., & Hopman, W. M. (2008). Comparing consequences of right and left unilateral neglect in a stroke rehabilitation population. *American Journal of Physical Medicine and Rehabilitation*, *87*(11), 910-920. doi:10.1097/PHM.0b013e3181818a58bd
33. Navarro, M. D., Llorens, R., Noe, E., Ferri, J., & Alcaniz, M. (2013). Validation of a low-cost virtual reality system for training street-crossing. A comparative study in healthy, neglected and non-neglected stroke individuals. *Neuropsychological Rehabilitation*, *23*(4), 597-618. doi:10.1080/09602011.2013.806269
34. Kim, J., Kim, K., Kim, D. Y., Chang, W. H., Park, C. I., Ohn, S. H., . . . Kim, S. I. (2007). Virtual environment training system for rehabilitation of stroke patients with unilateral neglect: Crossing the virtual street. *Cyberpsychology and Behavior*, *10*(1), 7-15. doi:10.1089/cpb.2006.9998
35. Jehkonen, M., Ahonen, J. P., Dastidar, P., Koivisto, A. M., Laippala, P., Vilkki, J., & Molnar, G. (2001). Predictors of discharge to home during the first year after right hemisphere stroke. *Acta Neurologica Scandinavica*, *104*(3), 136-141. doi:10.1034/j.1600-0404.2001.00025.x

36. Berti, A., Ladavas, E., & Della Corte, M. (1996). Anosognosia for hemiplegia, neglect dyslexia, and drawing neglect: Clinical findings and theoretical considerations. *Journal of the International Neuropsychological Society*, 2(5), 426-440. doi:10.1017/S135561770000151X
37. Ronchi, R., Bolognini, N., Gallucci, M., Chiapella, L., Algeri, L., Spada, M. S., & Vallar, G. (2014). (Un)awareness of unilateral spatial neglect: A quantitative evaluation of performance in visuo-spatial tasks. *Cortex*, 61, 167-182. doi:10.1016/j.cortex.2014.10.004
38. Tham, K., Borell, L., & Gustavsson, A. (2000). The discovery of disability: A phenomenological study of unilateral neglect. *American Journal of Occupational Therapy*, 54(4), 398-406. doi:10.5014/ajot.54.4.398
39. Chen, P., & Togli, J. (2019). Online and offline awareness deficits: Anosognosia for spatial neglect. *Rehabilitation Psychology*, 64(1), 50-64. doi:10.1037/rep0000207
40. Kong, K. H., Chua, K. S. G., & Lee, J. (2011). Recovery of upper limb dexterity in patients more than 1 year after stroke: Frequency, clinical correlates and predictors. *Neurorehabilitation*, 28(2), 105-111. doi:10.3233/nre-2011-0639
41. Nijboer, T. C., van de Port, I., Schepers, V., Post, M., & Visser-Meily, A. (2013). Predicting functional outcome after stroke: The influence of neglect on basic activities in daily living. *Frontiers in Human Neuroscience*, 7(182), e00182. doi:10.3389/fnhum.2013.00182
42. Nijboer, T. C., Kollen, B. J., & Kwakkel, G. (2014). The impact of recovery of visuo-spatial neglect on motor recovery of the upper paretic limb after stroke. *PLoS ONE*, 9(6), e100584. doi:10.1371/journal.pone.0100584
43. Jehkonen, M., Laihosalo, M., Koivisto, A. M., Dastidar, P., & Ahonen, J. P. (2007). Fluctuation in spontaneous recovery of left visual neglect: A 1-year follow-up. *European Neurology*, 58(4), 210-214. doi:10.1159/000107941
44. Nijboer, T. C., Kollen, B. J., & Kwakkel, G. (2013). Time course of visuospatial neglect early after stroke: A longitudinal cohort study. *Cortex*, 49(8), 2021-2027. doi:10.1016/j.cortex.2012.11.006
45. Farne, A., Buxbaum, L. J., Ferraro, M., Frassinetti, F., Whyte, J., Veramonti, T., . . . Ladavas, E. (2004). Patterns of spontaneous recovery of neglect and associated disorders in acute right brain-damaged patients. *Journal of Neurology, Neurosurgery, and Psychiatry*, 75(10), 1401-1410. doi:10.1136/jnnp.2002.003095
46. Chen, P., Fyffe, D. C., & Hreha, K. (2017). Informal caregivers' burden and stress in caring for stroke survivors with spatial neglect: An exploratory mixed-method study. *Topics in Stroke Rehabilitation*, 24(1), 24-33. doi:10.1080/10749357.2016.1186373
47. Buxbaum, L. J., Ferraro, M. K., Veramonti, T., Farne, A., Whyte, J., Ladavas, E., . . . Coslett, H. B. (2004). Hemispatial neglect: Subtypes, neuroanatomy, and disability. *Neurology*, 62(5), 749-756. doi:10.1212/01.wnl.0000113730.73031.f4
48. Harris, C. S. (1963). Adaptation to displaced vision: Visual, motor, or proprioceptive change? *Science*, 140(3568), 812-813. doi:10.1126/science.140.3568.812
49. Rossetti, Y., Rode, G., Pisella, L., Farne, A., Li, L., Boisson, D., & Perenin, M. T. (1998). Prism adaptation to a rightward optical deviation rehabilitates left hemispatial neglect. *Nature*, 395(6698), 166-169. doi:10.1038/25988
50. Nijboer, T. C., Olthoff, L., Van der Stigchel, S., & Visser-Meily, J. M. (2014). Prism adaptation improves postural imbalance in neglect patients. *Neuroreport*, 25(5), 307-311. doi:10.1097/WNR.0000000000000088
51. Tilikete, C., Rode, G., Rossetti, Y., Pichon, J., Li, L., & Boisson, D. (2001). Prism adaptation to rightward optical deviation improves postural imbalance in left-hemiparetic patients. *Current Biology*, 11(7), 524-528. doi:10.1016/s0960-9822(01)00151-8
52. Watanabe, S., & Amimoto, K. (2010). Generalization of prism adaptation for wheelchair driving task in patients with unilateral spatial neglect. *Archives of Physical Medicine and Rehabilitation*, 91(3), 443-447. doi:10.1016/j.apmr.2009.09.027

53. Jacquin-Courtois, S., Rode, G., Pisella, L., Boisson, D., & Rossetti, Y. (2008). Wheel-chair driving improvement following visuo-manual prism adaptation. *Cortex*, *44*(1), 90-96. doi:10.1016/j.cortex.2006.06.003
54. Rabuffetti, M., Folegatti, A., Spinazzola, L., Ricci, R., Ferrarin, M., Berti, A., & Neppi-Modona, M. (2013). Long-lasting amelioration of walking trajectory in neglect after prismatic adaptation. *Frontiers in Human Neuroscience*, *7*, 382. doi:10.3389/fnhum.2013.00382
55. Angeli, V., Benassi, M. G., & Ladavas, E. (2004). Recovery of oculo-motor bias in neglect patients after prism adaptation. *Neuropsychologia*, *42*(9), 1223-1234. doi:10.1016/j.neuropsychologia.2004.01.007
56. Farne, A., Rossetti, Y., Toniolo, S., & Ladavas, E. (2002). Ameliorating neglect with prism adaptation: Visuo-manual and visuo-verbal measures. *Neuropsychologia*, *40*(7), 718-729. doi:10.1016/s0028-3932(01)00186-5
57. Fortis, P., Maravita, A., Gallucci, M., Ronchi, R., Grassi, E., Senna, I., . . . Vallar, G. (2010). Rehabilitating patients with left spatial neglect by prism exposure during a visuomotor activity. *Neuropsychology*, *24*(6), 681-697. doi:10.1037/a0019476
58. Frassinetti, F., Angeli, V., Meneghello, F., Avanzi, S., & Ladavas, E. (2002). Long-lasting amelioration of visuospatial neglect by prism adaptation. *Brain*, *125*(Pt 3), 608-623. doi:10.1093/brain/awf056
59. Gossmann, A., Kastrop, A., Kerkhoff, G., Lopez-Herrero, C., & Hildebrandt, H. (2013). Prism adaptation improves ego-centered but not allocentric neglect in early rehabilitation patients. *Neurorehabilitation and Neural Repair*, *27*(6), 534-541. doi:10.1177/1545968313478489
60. Ladavas, E., Bonifazi, S., Catena, L., & Serino, A. (2011). Neglect rehabilitation by prism adaptation: Different procedures have different impacts. *Neuropsychologia*, *49*(5), 1136-1145. doi:10.1016/j.neuropsychologia.2011.01.044
61. Chapman, H. L., Eramudugolla, R., Gavrilesco, M., Strudwick, M. W., Loftus, A., Cunnington, R., & Mattingley, J. B. (2010). Neural mechanisms underlying spatial realignment during adaptation to optical wedge prisms. *Neuropsychologia*, *48*(9), 2595-2601. doi:10.1016/j.neuropsychologia.2010.05.006
62. Saj, A., Cojan, Y., Assal, F., & Vuilleumier, P. (2019). Prism adaptation effect on neural activity and spatial neglect depend on brain lesion site. *Cortex*, *119*, 301-311. doi:10.1016/j.cortex.2019.04.022
63. Goedert, K. M., Chen, P., Foundas, A. L., & Barrett, A. M. (2020). Frontal lesions predict response to prism adaptation treatment in spatial neglect: A randomised controlled study. *Neuropsychological Rehabilitation*, *30*(1), 32-53. doi:10.1080/09602011.2018.1448287
64. Chen, P., Goedert, K. M., Shah, P., Foundas, A. L., & Barrett, A. M. (2014). Integrity of medial temporal structures may predict better improvement of spatial neglect with prism adaptation treatment. *Brain Imaging and Behavior*, *8*(3), 346-358. doi:10.1007/s11682-012-9200-5
65. Goedert, K. M., Chen, P., Boston, R. C., Foundas, A. L., & Barrett, A. M. (2014). Presence of motor-intentional aiming deficit predicts functional improvement of spatial neglect with prism adaptation. *Neurorehabilitation and Neural Repair*, *28*(5), 483-492. doi:10.1177/1545968313516872
66. Winstein, C. J., Stein, J., Arena, R., Bates, B., Cherney, L. R., Cramer, S. C., . . . Outcomes, R. (2016). Guidelines for adult stroke rehabilitation and recovery: A guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke*, *47*(6), e98-e169. doi:10.1161/STR.0000000000000098
67. Hebert, D., Lindsay, M. P., McIntyre, A., Kirton, A., Rumney, P. G., Bagg, S., . . . Teasell, R. (2016). Canadian stroke best practice recommendations: Stroke rehabilitation practice guidelines, update 2015. *International Journal of Stroke*, *11*(4), 459-484. doi:10.1177/1747493016643553
68. Keane, S., Turner, C., Sherrington, C., & Beard, J. R. (2006). Use of fresnel prism glasses to treat stroke patients with hemispatial neglect. *Archives of Physical Medicine and Rehabilitation*, *87*(12), 1668-1672. doi:10.1016/j.apmr.2006.08.322
69. Wilms, I., & Mala, H. (2010). Indirect versus direct feedback in computer-based Prism Adaptation Therapy. *Neuropsychological Rehabilitation*, *20*(6), 830-853. doi:10.1080/09602011.2010.492711
70. Redding, G. M., & Wallace, B. (2011). Prism adaptation in left-handers. *Attention, Perception and Psychophysics*, *73*(6), 1871-1885. doi:10.3758/s13414-011-0147-1

71. Goedert, K. M., Zhang, J. Y., & Barrett, A. M. (2015). Prism adaptation and spatial neglect: The need for dose-finding studies. *Frontiers in Human Neuroscience, 9*, 243. doi:10.3389/fnhum.2015.00243
72. Goedert, K. M., Boston, R. C., & Barrett, A. M. (2013). Advancing the science of spatial neglect rehabilitation: An improved statistical approach with mixed linear modeling. *Frontiers in Human Neuroscience, 7*, 211. doi:10.3389/fnhum.2013.00211
73. Barrett, A. M., Goedert, K. M., & Basso, J. C. (2012). Prism adaptation for spatial neglect after stroke: translational practice gaps. *Nature Reviews Neurology, 8*(10), 567-577. doi:10.1038/nrneuro.2012.170
74. Fortis, P., Chen, P., Goedert, K. M., & Barrett, A. M. (2011). Effects of prism adaptation on motor-intentional spatial bias in neglect. *Neuroreport, 22*(14), 700-705. doi:10.1097/WNR.0b013e32834a3e20
75. Fortis, P., Goedert, K. M., & Barrett, A. M. (2011). Prism adaptation differently affects motor-intentional and perceptual-attentional biases in healthy individuals. *Neuropsychologia, 49*(9), 2718-2727. doi:10.1016/j.neuropsychologia.2011.05.020
76. Goedert, K. M., Leblanc, A., Tsai, S. W., & Barrett, A. M. (2010). Asymmetrical effects of adaptation to left- and right-shifting prisms depends on pre-existing attentional biases. *Journal of the International Neuropsychological Society, 16*(5), 795-804. doi:10.1017/s1355617710000597
77. Yang, N. Y., Zhou, D., Chung, R. C., Li-Tsang, C. W., & Fong, K. N. (2013). Rehabilitation interventions for unilateral neglect after stroke: A systematic review from 1997 through 2012. *Frontiers in Human Neuroscience, 7*, 187. doi:10.3389/fnhum.2013.00187
78. Lisa, L. P., Jugheters, A., & Kerckhofs, E. (2013). The effectiveness of different treatment modalities for the rehabilitation of unilateral neglect in stroke patients: A systematic review. *Neurorehabilitation, 33*(4), 611-620. doi:10.3233/nre-130986
79. Kerkhoff, G., & Schenk, T. (2012). Rehabilitation of neglect: An update. *Neuropsychologia, 50*(6), 1072-1079. doi:10.1016/j.neuropsychologia.2012.01.024
80. Champod, A. S., Frank, R. C., Taylor, K., & Eskes, G. A. (2018). The effects of prism adaptation on daily life activities in patients with visuospatial neglect: A systematic review. *Neuropsychological Rehabilitation, 28*(4), 491-514. doi:10.1080/09602011.2016.1182032
81. Azouvi, P., Marchal, F., Samuel, C., Morin, L., Renard, C., LouisDreyfus, A., . . . Bergego, C. (1996). Functional consequences and awareness of unilateral neglect: Study of an evaluation scale. *Neuropsychological Rehabilitation, 6*(2), 133-150. doi:10.1080/713755501
82. Chen, P., & Hreha, K. (2015). *KF-NAP 2015 Manual*. Retrieved from <https://www.kflearn.org/courses/kf-nap-2015-manuals>
83. Halligan, P. W., Cockburn, J., & Wilson, B. A. (1991). The behavioural assessment of visual neglect. *Neuropsychological Rehabilitation, 1*(1), 5-32. doi:10.1080/09602019108401377
84. Leibovitch, F. S., Vasquez, B. P., Ebert, P. L., Beresford, K. L., & Black, S. E. (2012). A short bedside battery for visuoconstructive hemispatial neglect: Sunnybrook Neglect Assessment Procedure (SNAP). *Journal of Clinical and Experimental Neuropsychology, 34*(4), 359-368. doi:10.1080/13803395.2011.645016
85. Azouvi, P. (2017). The ecological assessment of unilateral neglect. *Annals of Physical and Rehabilitation Medicine, 60*(3), 186-190. doi:10.1016/j.rehab.2015.12.005
86. Hreha, K., Gillen, G., Noce, N., & Nilsen, D. M. (2018). The feasibility and effectiveness of using prism adaptation to treat motor and spatial dysfunction in stroke survivors with multiple incidents of stroke. *Topics in Stroke Rehabilitation, 25*(4), 305-311. doi:10.1080/10749357.2018.1437937
87. Chen, P., Landar, V., Noce, N., & Hreha, K. (2020). Prism adaptation treatment for spatial neglect post brain tumor removal: A case report. *Hong Kong Journal of Occupational Therapy*. doi:10.1177/1569186120921472
88. O'Neill, B., & McMillan, T. M. (2004). The efficacy of contralesional limb activation in rehabilitation of unilateral hemiplegia and visual neglect: A baseline-intervention study. *Neuropsychological Rehabilitation, 14*(4), 437-447. doi:10.1080/09602010443000001
89. Wilson, F. C., Manly, T., Coyle, D., & Robertson, I. H. (2000). The effect of contralesional limb activation training and sustained attention training for self-care programmes in unilateral spatial neglect.

*Restorative Neurology and Neuroscience*, 16(1), 1-4. Retrieved from

<https://content.iospress.com/articles/restorative-neurology-and-neuroscience/rnn00128>

90. Robertson, I. H., Hogg, K., & McMillan, T. M. (1998). Rehabilitation of unilateral neglect: Improving function by contralesional limb activation. *Neuropsychological Rehabilitation*, 8(1), 19-29. doi:10.1080/713755556
91. Gainotti, G., Perri, R., & Cappa, A. (2002). Left hand movements and right hemisphere activation in unilateral spatial neglect: A test of the interhemispheric imbalance hypothesis. *Neuropsychologia*, 40(8), 1350-1355. doi:10.1016/S0028-3932(01)00211-1
92. Redding, G. M., & Wallace, B. (2013). Prism adaptation in alternately exposed hands. *Attention Perception & Psychophysics*, 75(6), 1168-1185. doi:10.3758/s13414-013-0467-4
93. Redding, G. M., & Wallace, B. (2008). Intermanual transfer of prism adaptation. *Journal of Motor Behavior*, 40(3), 246-262. doi:10.3200/jmbr.40.3.246-264
94. Chen, P., Erdahl, L., & Barrett, A. M. (2009). Monocular patching may induce ipsilateral "where" spatial bias. *Neuropsychologia*, 47(3), 711-716. doi:10.1016/j.neuropsychologia.2008.11.022
95. Houston, K. E., & Barrett, A. M. (2017). Patching for Diplopia Contraindicated in Patients with Brain Injury? *Optometry and Vision Science*, 94(1), 120-124. doi:10.1097/OPX.0000000000000976
96. Fortis, P., Ronchi, R., Velardo, V., Calzolari, E., Banco, E., Algeri, L., . . . Vallar, G. (2020). A home-based prism adaptation training for neglect patients. *Cortex*, 122, 61-80. doi:10.1016/j.cortex.2018.09.001
97. Dijkerman, H. C., McIntosh, R. D., Milner, A. D., Rossetti, Y., Tilikete, C., & Roberts, R. C. (2003). Ocular scanning and perceptual size distortion in hemispatial neglect: effects of prism adaptation and sequential stimulus presentation. *Experimental Brain Research*, 153(2), 220-230. doi:10.1007/s00221-003-1595-1
98. Rossetti, Y., Jacquin-Courtois, S., Rode, G., Ota, H., Michel, C., & Boisson, D. (2004). Does action make the link between number and space representation? Visuo-manual adaptation improves number bisection in unilateral neglect. *Psychological Science*, 15(6), 426-430. doi:10.1111/j.0956-7976.2004.00696.x
99. Sarri, M., Greenwood, R., Kalra, L., Papps, B., Husain, M., & Driver, J. (2008). Prism adaptation aftereffects in stroke patients with spatial neglect: Pathological effects on subjective straight ahead but not visual open-loop pointing. *Neuropsychologia*, 46(4), 1069-1080. doi:10.1016/j.neuropsychologia.2007.11.005
100. Muth, E. R., Stern, R. M., Thayer, J. F., & Koch, K. L. (1996). Assessment of the multiple dimensions of nausea: the Nausea Profile (NP). *Journal of Psychosomatic Research*, 40(5), 511-520. doi:10.1016/0022-3999(95)00638-9
101. Mahoney, F. I., & Barthel, D. (1965). Functional evaluation: The Barthel Index. *Maryland State Medical Journal*, 14, 61-65. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/14258950>